



# NAWaL Analytical Laboratories

Test Report

056291

Accredited & Recognized by : ISO/IEC 17025:2005, EIC, BIS, FSSAI, APEDA, AGMARK, MoEF & ISO 9001:2015

ULR NO: TC58342000009192F

Date: 11/05/2020

Sample ID No. : NAL/202005000009192  
Discipline / Group : Biological / Miscellaneous  
Name of the Customer : EUROPEAN TEXTILES CHEMICAL CORPORATION  
Address : No.336 & 337, Jonabonda Village, Onnalavadi (Post),  
Hosur, krishnagiri (Dt), Tamil Nadu, India - 635 110.,  
Sample Described by the Customer : EURO DFC  
Quantity of the Sample Received : 250 ml  
Condition on Receipt : Fit for Analysis  
Requested By : Mr. Srihari  
Information about Sampling : Submitted by Customer  
Customer Reference : By Mail Dated.04/05/2020  
Date of Sample Receipt : 04/05/2020  
Date of test Starting : 04/05/2020  
Date of test Completed : 11/05/2020

S.No	PARAMETERS	TEST PROTOCOL	UNIT	TEST RESULTS
1	Anti Microbial Activity	USP 40 Chapter 1072	-	No log reduction in E. coli, 2 log reduction in Staphlococcus aureus for 10 min

**Disclaimer.**

This report is valid strictly for the sample submitted for analysis to NAWaL Analytical Laboratories and shall not be under any circumstance extrapolated to any other product(s) made out of this sample .

For NAWaL Analytical Laboratories

Authorized Signatory

Dr. P.S.Dhnanan

(Dy.Technical Manager MicroBiology)

\*\*\*End of Report\*\*\*

