



# NAWaL Analytical Laboratories

## Test Report

**054583**

Accredited & Recognized by : ISO/IEC 17025:2005, EIC, BIS, FSSAI, APEDA, AGMARK, MoEF & ISO 9001:2015

ULR NO: TC58342000009662F

Date: 18/05/2020

Sample ID No. : NAL/202005000009662  
Discipline / Group : Biological / Miscellaneous  
Name of the Customer : EUROPEAN TEXTILES CHEMICAL CORPORATION  
Address : No.336 & 337, Jonabonda Village, Onmalavadi (Post),  
Hosur, krishnagiri (Dt), Tamil Nadu, India - 635 110.,  
Sample Described by the Customer : FABRICATION SOLUTION (HSD) - 11.05.2020  
Quantity of the Sample Received : 100 ml  
Condition on Receipt : Fit for Analysis  
Requested By : V. Muralidharan - Manager (Materials & Compliance)  
Information about Sampling : Submitted by Customer  
Customer Reference : By Letter Dated.11/05/2020  
Date of Sample Receipt : 11/05/2020  
Date of test Starting : 11/05/2020  
Date of test Completed : 18/05/2020

S.No	PARAMETERS	TEST PROTOCOL	UNIT	TEST RESULTS
1	Anti Microbial Activity	USP 40, Chapter 1072	-	four log (>99.9%)reduction was found in 10 min for E. coli, Staphylococcus aureus, 3 log (99%) reduction was found for Candida albicans in 10 min

**Disclaimer:**

This report is valid strictly for the sample submitted for analysis to NAWaL Analytical Laboratories and shall not be under any circumstance extrapolated to any other product(s) made out of this sample.

**Note :** The sample was diluted 50mL/Litter before experiment.

For NAWaL Analytical Laboratories

Authorized Signatory

D. Balakrishnan

Chief Executive Officer

\*\*\*End of Report\*\*\*

