



# NAWaL Analytical Laboratories

## Test Report

056294

Accredited & Recognized by : ISO/IEC 17025:2005, EIC, BIS, FSSAI, APEDA, AGMARK, MoEF & ISO 9001:2015

ULR NO: TC58342000009194F

Date: 11/05/2020

Sample ID No. : NAL/202005000009194  
Discipline / Group : Biological / Miscellaneous  
Name of the Customer : EUROPEAN TEXTILES CHEMICAL CORPORATION  
Address : No.336 & 337, Jonabonda Village, Onnalavadi (Post),  
Hosur, krishnagiri (Dt), Tamil Nadu, India - 635 110.,  
Sample Described by the Customer : TREATED SAMPLE  
Quantity of the Sample Received : 1 NO  
Condition on Receipt : Fit for Analysis  
Requested By : Mr. Srihari  
Information about Sampling : Submitted by Customer  
Customer Reference : By Mail Dated.04/05/2020  
Date of Sample Receipt : 04/05/2020  
Date of test Starting : 04/05/2020  
Date of test Completed : 11/05/2020

S.No	PARAMETERS	TEST PROTOCOL	UNIT	TEST RESULTS
1	Anti Microbial Activity( Treated sample )	ASTM E2149-13	-	3 log reduction of Staphylococcus aureus in 1 hour and 5log reduction at 24hrs and 72 hrs
2	Anti Microbial Activity ( Untreated sample )	ASTM E2149	-	No log reduction in Staphylococcus aureus in 1 hour and 24 hrs incubation

**Disclaimer,**

This report is valid strictly for the sample submitted for analysis to NAWaL Analytical Laboratories and shall not be under any circumstance extrapolated to any other product(s) made out of this sample .

**Note :**

This product (NAL-9194) has been treated with 1.5% of EuroQA1 Antibact for 10min. As from the report it is evident that there is a 100% reduction of bacterial load in 1hr exposure & no further growth

Untreated sample (NAL-9195) shown growth and no log reduction at 1hr, 24 hrs and 72hrs intravel. comparatively the product NAL-9194 is good.



Authorized Signatory

\*Continue....."



# NAWaL Analytical Laboratories

Test Report

056293

Accredited & Recognized by : ISO/IEC 17025:2005, EIC, BIS, FSSAI, APEDA, AGMARK, MoEF & ISO 9001:2015

ULR NO. TC58342000009194F

Date. 11/05/2020

For NAWaL Analytical Laboratories

Authorized Signatory

Dr. P.S.Dheenan

(Dy.Technical Manager MicroBiology)

\*\*\*End of Report\*\*\*

